




FSW

www.fridgespareswholesale.ie



Heat Pumps and accessories guide

Cages/Fixings/Frames 

Electrical cables & accessories 

Heatpumps/Portable AC 

Tools 

Building/Support 

Chemicals/Consumables 

Copper Tube 

Contents

A Section

Cages, Fixing Frames
P3

B Section

Building/Support Products
P4-5

C Section

Copper Tube, Accessories
P6-7

D Section

Chemicals, Consumables
P8-10

E Section

Portable Air Con, Heatpumps
P11

F Section

Tools
P12-19

G Section

Electrical cables & accessories
P20-21

Cool tools

Now available!
Check online for information.
www.fridgespareswholesale.ie





Cages/Fixing/Frames

Security Cages



Protect your assets with a security cage!



Code	Model	Description	Price
CAGE-S	CAGE-S	Small 750H 1050W 460D	POA
CAGE-M	CAGE-M	Medium 1150H 1150W 650D	POA
CAGE-L	CAGE-L	Large 1450H 1150W 650D	POA
CAGE-XL	CAGE-XL	Extra-Large 1800H 1150W 650D	POA
VS110CONDTRAY	Small	Condensing Unit Drip Tray	POA
VS210CONDTRAY	Large	Condensing Unit Drip Tray	POA

H-Frames/Wall Brackets/Anti Vibration



320mm 500mm sizes available



Small, medium & large sizes available!

Code	Model	Description	Price
F-FP-320	320mm	H Frame Set 320x320 feet	POA
F-FP-500	500mm	H Frame Set 500x500 feet	POA
MS230MOUNTBRACK	Small	84KG 420mm Support Arm	POA
MS257 BRACKET	Medium	84KG 550mm Support Arm	POA
MS403 BRACKET	Large	180KG 620mm Support Arm	POA
MS404 BRACKET	Large	180KG 800mm Support Arm	POA



Building/Support Products

Channel - Clips - Support Mounts




Code	Model	Description
MC403 6M	6MTR	Channel Slotted 40mm 6 meter
MC403 3M	3MTR	Channel Slotted 40mm 3 meter
MC203 6M	6MTR	Channel Slotted 20mm 6 meter
MC203 3M	3MTR	Channel Slotted 20mm 3 meter

Code	Model	Description
M8ZP ROD	3MTR	8mm Threaded Rod
M10ZP ROD	3MTR	10mm Threaded Rod
M12ZP ROD	3MTR	12mm Threaded Rod

Full range of fixings also available in all sizes

Plain non-slotted channel also available



Code	Model	Description
MUPRO L	ALL	All Lined Sizes
MUPRO U/L	ALL	All Un-Lined Sizes

Code	Model	Description
GRIPLOCKSIZE1	1/4X1/2	Pre Insul Pipe Clip
GRIPLOCKSIZE2	3/8X5/8	Pre Insul Pipe Clip



Custom support frames available on request!



Code	Model	Description
B6735	250MM	Fix it foot 250mm
B6736	450MM	Fix it foot 450mm
B6737	600MM	Fix it foot 600mm
B9096	1000MM	Fix it foot 1000mm

Code	Model	Description
P2663/300	300MM	Cantilever Arm
P2663/450	450MM	Cantilever Arm
P2663/600	600MM	Cantilever Arm HD
P2663/750	750MM	Cantilever Arm HD
P2663/900	900MM	Cantilever Arm HD

Nuts - Bolts - Washers

Code	Description
M8 CONNECT	8mm rod connector
M10 CONNECT	10mm rod connector



Code	Description
M6SS	6mm Spring Nut Short
M8SS	8mm Spring Nut Short
M10SS	10mm Spring Nut Short



Code	Description
M8SQUAREW	8mm Square Washer
P1020HG	10mm Square Washer



Code	Description
M6LS	6mm Spring Nut Long
M8LS	8mm Spring Nut Long
M10LS	10mm Spring Nut Long



Code	Description
M8/ M10BASE	8/10mm Baseplate



Code	Description
M6	ZP Bolts Range
M8	ZP Bolts Range
M10	ZP Bolts Range

Various Bolt Sizes Available*



Code	Description
M10/10L	10mm Rawl Bolt
M10WEDGE	10mm Wedge Anchor
M8WEDGE	8mm Wedge Anchor



Code	Description
M6ZPNUT	6mm Nut
M8ZPNUT	8mm Nut
M10ZPNUT	10mm Nut



Code	Description
M6X12GUTTER	6mm Gutter Bolt
M6X20GUTTER	6mm Gutter Bolt



Code	Description
M6MUD	6mm Washer
M8MUD	8mm Washer
M10MUD	10mm Washer



Code	Description
AVMB-1	4 Anti Vibration Rubber Mounts



Code	Model
GFC-1	1/4 AND 1/2
GFC-2	3/8 AND 5/8
GFC-4	5/8 AND 1-1/8



M11 Unistrut Clips



- Sizes: M1108 - M1151 (9.5mm - 269mm)
- Fits 20mm & 40mm Unistrut Channel
- Supplied with bolt and nut
- Used in various pipe restraint installations

Box quantities available from stock at FSW



Copper Tube

Coolco Pre-Insulated Copper Tube

- Allows you to install your pipework in half the time of conventional methods.
- 9mm insulation manufactured to EN 13501. Fire classification - WHITE 9MM BL-S1-D0 BLACK 9MM BL-S2-D0
- 13mm insulation manufactured to EN 13501. Fire classification - CL-S2-D0
- 13mm wall black insulation with tough & durable polyethylene coating
- Copper coil manufactured to EN 12735-1
- Can be easily separated during insulation
- 9mm & 13mm wall black available to order
- 9mm wall white available to order



The Benefits

- Labour saving
- Easy clean coating
- Easy to transport & store
- Durable insulation coating
- Less waste, re-cap and re-use
- Insulation more resistant to damage

Available in Black 9mm & 13mm (20M coils) Insulation, White 9mm Insulation



Code	Length	Description	Price
C20038 1/4T (WHITE)	20MTR	COIL 20M 3/8 & 1/4 TWINNED 9MM	POA
C20012 1/4T (WHITE)	20MTR	COIL 20M 1/2 & 1/4 TWINNED 9MM	POA
C20058 1/4T (WHITE)	20MTR	COIL 20M 5/8 & 1/4 TWINNED 9MM	POA
C20058 3/8T (WHITE)	20MTR	COIL 20M 5/8 & 3/8 TWINNED 9MM	POA
C25012 1/4T (WHITE)	25MTR	COIL 25M 1/2 & 1/4 TWINNED 9MM	POA
C50014 0.8MM (WHITE)	50MTR	COIL 50M 1/4 X 0.8mm SINGLE 9MM	POA
C50038 0.8MM (WHITE)	50MTR	COIL 50M 3/8 X 0.8mm SINGLE 9MM	POA
C50012 0.8MM (WHITE)	50MTR	COIL 50M 1/2 X 0.8mm SINGLE 9MM	POA
C50058 1.0MM (WHITE)	50MTR	COIL 50M 5/8 X 1.0mm SINGLE 9MM	POA
C25038 1/4T (WHITE)	25MTR	COIL 25M 1/4 TWINNED 9MM	POA
C25058 1/4T (WHITE)	25MTR	COIL 25M 1/4 TWINNED 9MM	POA
C25058 3/8T (WHITE)	25MTR	COIL 25M 3/8 TWINNED 9MM	POA

Copper Tube Accessories



Annealed soft drawn copper coils 1/4" to 7/8"




Full range of copper tube, insulation & accessories



Hard drawn copper lengths 3/8" to 4 1/8"

Pipe & Cabling Trunking



Full range also available in 110mm from FSW

Code	Description	Price
DELTA INT ELBOW	DELTA INTERNAL CORNER 80MM	POA
DELTA EXTER ELBS	DELTA EXTERNAL CORNER 80MM	POA
DELTA UPPER CONN	DELTA CONNECTION PIECE 80MM	POA
DELTA WALL TER	DELTA WALL TERMINAL 80MM	POA
DELTA T-JOINT	DELTA T JOINT 80MM	POA
DELTA TRUNKING	DELTA DUCTING 80X60 2M	POA



Chemicals

Cleaners - Disinfectants - Leak Detection



Code	Model	Description	Price
ENVCOIL	5LTR	Universal Coil Cleaner	POA
SUPERCLEAN	5LTR	Heavy Duty Condenser Cleaner	POA
COOLSAFE	5LTR	Evaporator Cleaner	POA
CODEN	5LTR	Alkaline Evaporator Cleaner	POA



Code	Model	Description	Price
RTU/EVAPORATOR	1&5 LTR	Evaporator Cleaner & Disinfectant	POA
RTU/CONDENSER	1&5 LTR	Condenser Cleaner	POA
GREASEGOBBLER	400ml	Solvent Condenser Cleaner	POA
HIDROX	5LTR	Descaling Treatment	POA



Full range of safety data sheets available on request.

Code	Model	Description	Price
DRAINKLEEN ONE S	250ml&5LTR	Drain Cleaner	POA
EASYFIND	400ml	Bubble up Leak Detetor Aersol	POA
RTU/LEAKDETECTOR	1LTR	Bubble up Leak Detector trigger Spray	POA

Glycol solution for heat pumps available from FSW

Glycol - Accessories

GLY-COOL+® (MPG) is a high performance, Monopropylene Glycol.

(MPG) based, heat transfer fluid designed for use in indirect cooling in food processing and beverage cooling applications.

GLY-COOL+ (MPG) fluids have been specifically designed to deliver higher resistance to degradation, scale, bacterial growth and corrosion.



Code	Model	Description	Price
GLYCOOL (MPG)	25LTR	Monopropylene Glycol	POA



FRIOGEL® NEO; a concentrated antifreeze based on Mono Propylene Glycol and corrosion inhibitors, is a heat transfer fluid for low temperature refrigeration systems and food industry.

When FRIOGEL® NEO is diluted in water, the resulting liquid cooling agent provides effective protection against freezing and gives re-enforced protection against metal corrosion in the various ancient and new types of circuits (steel, aluminium, copper, brass, soldering, etc.). This protection has been confirmed by numerous static and dynamic heat tests.

Code	Model	Description	Price
FRIOGEL NEOHEATP	25LTR	Monopropylene Glycol	POA

Needs to be diluted**

Battery Operated Backpack!



Code	Description	Price
HYDROSPRAYERELIT	Pump Sprayer	POA
PSP6	Pump Sprinkling	POA

Index Instruments Refractometer REF-402

- Rugged, durable construction
- High contrast demarcation line for easy, accurate readings
- Easily adjusted to zero line by screw mechanism
- Perfect for your glycol solution!



Code	Model	Description	Price
REF-402	REF-402	Refractometer	POA



Consumables

Accessories

Code	Description
CT280-4.8	Cable Ties 300mmx4.8
CT360-4.8	Cable Ties 368mmx4.8
CT360-7.8	Cable Ties 380mmx7.8
CTC300-4.8	Cable Ties 300mmx4.8White
CT360-7.8W	Cable Ties 380mmx7.8White



Code	Description
2Tape	Tape 2" 50mm Black
2TapeWhite	Tape 2" 50mm White
1Tape	Tape 1" 25mm Black
10Tape	Insulation Tape 10Mtr



Code	Description
Vacoil	Vac Pump Oil 1 Litre
Vacoil 5ltr	Vac Pump Oil 5 Litre



Code	Description
Solds2 2mm v	Solder S2 1KG Square
Solds2 3mm v	Solder S2 1KG 3mm Dia
Solds40 10pk	Fluxed Silver Rod 10pk
Solds40 2mm	MetaBrazo Rod



Code	Description
Mapp	Mapp Gas
Oxigen	Oxigen Cartridge 110Bar
Maxigas	Maxigas Cartridge



Code	Description
TurboSet90	Autogen Welding Rack
TurboHeadset	Complete Head for Set
HT5Nozzle	Hooked Brazing Nozzle



Code	Description
STK-9	Turbo Torch



Code	Description
STK-11	Double Barrell Turbo Torch



Code	Description
TX504	Turbo Torch Self Igniting



Code	Description
Solder-mat	Soldering Mat



Code	Description
Rovlies	Cleaning Pads



Code	Description
GA-750	Nitrogen Regulator



Code	Description
EZB Line Set	Paircoil Pipe Bender



Full Range of Pipe Benders Available**

FSW stock a large range of consumables and accessories to suit any type of installation or service.
Refrigeration - HVAC - Electrical - Heat pumps

Code	Description
FLAMETECH ELITE	Portable Brazing Set





Portable AC/Heat Pumps

Heatpumps



ECODAN Heatpumps from Mitsubishi Electric

4 simple benefits to ECODAN heat pumps...

- Intelligent heating
- Highly versatile and compatible
- Reduce CO2 emissions and save on running costs
- Advance energy monitoring at your fingertips

Contact FSW today to discuss your heat pump requirements
info@fridgespares.ie
 1 830 3466

Glycol solution for heat pumps available from FSW

Air Conditioning



3.5kw
 R290a
 refrigerant



Heating &
 cooling!

Tech Data	Description
Product Dimensions	390w x 405d x 850h
Capacity	12,000btu / 3.5Kw
Weight	36.5Kg's
Noise Level	49 db[A]
Dehumidifying Volume	1.8 Liters per hour
Energy Rating	A+



Large condensate pump range available from FSW



Tools

Refrigeration

Testo 557s Manifold

R32 ready!



- All results at a glance
- Automatic Bluetooth connection
- Fast and easy pressure value display
- Robust housing with IP54 protection
- Test menu sequences for pressure leak test, vacuum, target superheat, and discharge line temperature

The testo 557s digital manifold with 4-way valve block enables you to carry out your measurements on refrigeration and air conditioning systems and heat pumps. The large display also helps you to evaluate the results in graphic form. Stored programs guide you through the measurement and enable the automatic determination of numerous important system parameters such as superheating/ subcooling, target superheat, cooling/heating capacity and many other areas besides.

Testo 549i Manifold

R32 ready!



- Measurement of high and low pressure
- Low refrigerant loss – since no hoses are required for measurements
- Measurement data displayed in the form of a graph or table, and sent via testo Smart Probes App

The ever-popular Original Refrigeration Smart Probe Set from testo has a NEW Big Brother the 0563 0002 10 is a revised version of the original model. The New model features updated 549i refrigerant pressure probes with 45° angled connector to allow for easier access to test ports. Both the 549i and the 115i supplied in the New version of the testo refrigeration Smart probe set, feature the New Bluetooth module to allow 100m operating range.

Code	Model	Description	Price
TESTO557S SMART	557s	Digital Manifold	POA
TESTO549i	549i	Smart Prob Digital Manifold	POA

Testo 552i Vac Gauge

R32 ready!



- Fast and easy vacuum measurement
- Robust housing with IP 54 for maximum reliability in daily use
- Integrated 45° angle
- Connects automatically to the testo Smart App
- One app for everything

Testo smart tools connect to your smart phone!

The testo 552i wireless vacuum probe provides the TestoSmart Probes portfolio with the option of measuring vacuum wirelessly and via just one service port. This prevents leaks and means that you do not have to pull the vacuum through the manifold. The integrated 45° angle allows you to work flexibly at any service connection. The testo 552i automatically connects to testo 550s and testo 557s via Bluetooth. Used with the testo Smart App, the Smart Probe is also perfect for quick vacuum measurement on its own. Thanks to its proven quality and great durability, you can rely on your wireless vacuum probe in any conditions.

Javac Gas Mate Leak Detector

R32 ready!



- Also detects TRACE-A-GAS - sensitivity hydrogen 5 grams a year.
- Detects natural gas, propane, butane, cyclo pentane, ethane, ethanol,
- isobutane and ammonia – R1234YF, R1234ZE, R32, R290, R600

The Javac Gas Mate is an ATEX approved leak detectorsuitable for R32 and all standard refrigerants and hydrocarbons and twice as sensitive as the nearest competitor.

- Adjustable sensitivity helps pinpoint leaks fast
- Auto-zeroing for ignoring background gas levels in leak test area
- Certified intrinsically safe by MET Laboratories for use in combusive / explosive environments

Code	Model	Description	Price
TESTO 552I	552	Digital Vacuum Gauge	POA
GAS-MATE-TRACER	316-3	Javac Leak Detector	POA

Electrical



Electrical measuring instruments

The new generation - Testo sets new standards in electrical measuring technology.

Whether multimeters, clamp meters, current testers or voltage testers – thanks to innovative technologies and simplified application, Testo's measuring instruments measure electrical parameters such as current, voltage or resistance more reliably and precisely than ever before.

Find out about service, calibration and training as well. For better performance in electrical measuring technology.

Code	Model	Description	Price
TESTO745	745	Voltage Tester	POA
TESTO750	750	Voltage Tester	POA
TESTO760	760	Multi-Meter	POA
TESTO770	770	TRMS Clamp Meter	POA

Temperature/Humidity



Get even smarter with the Teso smart probe range.

Why not turn your smart phone into a thermometer or even a vane anemometer with the new Testo smart probe range and FREE app.

Easy to use smart probes for every day measurement tasks performed within the HVAC-R Sector

Smart probes to measure temperature, pressure, humidity and airflow.

Code	Model	Description	Price
TESTO830T2	830-t2	Infrared Thermometer	POA
TESTO115i	115i	Clamp Thermometer	POA
TESTO410i	410i	Vane Anemometer	POA
TESTO605i	605i	Thermohygrometer	POA

Testo smart tools connect to your smart phone!



Be sure.



Plumbing/Electrical



Code	Description	Nett Price
BAH301-22	Pipe Cutter 3mm-22mm	POA
BAH302-35	Pipe Cutter 8mm-35mm	POA



Huge Bahco range available from FSW.

Code	Description	Nett Price
BAH3162	Pipe reamer Heavy Duty	POA
BAH3161	Pipe Reamer Pen	POA



Code	Description	Nett Price
BAH2101G160	Ergo Side Cutters	POA
BAH2628G200	Ergo Combination Pliers	POA
BAH220015	VDE Screwdriver set (5pcs)	POA
BAH426TOR9	Magnetic Level	POA
BAH2971G250	Waterpump Pliers	POA
BAH317	Large Frame Hacksaw	POA

Building



Code	Description	Nett Price
BAHSL25	Socket Set 25 Pcs	POA
BAHS877	Socket Set 94 Pcs	POA
BAH2058S26	Socket Set 26 Pcs (Mini)	POA



Code	Description	Nett Price
BAHS4RM3T	Ratchet Spanner Set (3pcs)	POA
BAH1RM13	Ratchet Spanner 13mm *	POA
BAH8071	Adjustable Wrench *	POA
BAH8071	Wide Jaw Adjustable Wrench 8"	POA

*Range of Sizes Available



Code	Description	Nett Price
BAH36118	Stilson 18"	POA
BAHMTS825E	Measuring Tape 8m	POA
BAH42820	Claw Hammer 20oz	POA



Recovery Unit

The Value® VRR24L is a lightweight yet powerful recovery machine weighing only 13.5kg.

Its powerful 1 horsepower single cylinder oil less compressor will recover 30kg of vapour and 210kg of liquid per hour. Easy to use mode selector switch and high pressure safety cut out.

Plug in kettle type mains lead included.

This machine is also suitable for recovering those larger plants quickly and efficiently such as water chillers and packs etc.

R32 Ready!



Code	Description	Nett Price
VRR-24-L	220 Volt	POA
VRR-24-L	110 Volt	POA

VRR24-L	
Recovery per/hr	
Vapour	30 kg
Liquid	210 kg

Recovers all commonly used CFC, HFC & HCFC refrigerants.



Manifold Gauges

We now stock 3 versions of the Value 4 way manifold with each model including a set of 5ft long R/Y/B hoses plus a 5ft long 3/8" black vacuum hose.

Every 4 way manifold has a sight glass and hanging hook as standard and comes complete with blow moulded carry case.

Rear hose holder standard on 4 way manifold only.



spare parts available

R32 Ready!

Code	Description	Nett Price
VMG-4-R134A	R134a, R404A, R407C & R22	POA
VMG-4-410A	Reads 410A only	POA
VMG-4-R32	Reads R32 only	POA



Vacuum Pump

The Value V-i260Y 5 cfm Dual Voltage, dual voltage, dual stage vacuum pump with 1/4" MFL inlet port only. Non-return valve stops vac pump oil being sucked into system if you lose mains power. Fitted vertical vacuum gauge. Supplied with 230V kettle lead style mains plug only (remember to purchase your 110V lead separately if required) (170 Litres/Min).

****The V-i260Y has a 1/4" inlet port only onto the non-return solenoid valve. Complete with fitted vacuum gauge**



V-i260Y

Code	Description	Nett Price
V-I260Y	220 Volt	POA
V-I280Y	220 Volt	POA



Hydraulic Tube Expander



The Value® VHE-29A pistol grip hydraulic tube expander is perfect for working in confined spaces such as ceiling voids and risers etc, simple one handed operation.

Suitable for soft copper only, can be used on half hard but you **MUST** anneal the copper first, as you should using any brand of tube expander.

Comes complete with 7 heads 3/8, 1/2, 5/8, 3/4, 7/8, 1-1/8, 1-3/8 and a blow moulded carry case.

Code	Description	Nett Price
VST-29A	Compact hydraulic tube expander including 7 heads	POA

Replacement Tube Expander Heads for VHE & VST-29A Models

SPARE 3/8" HEAD	SPARE 1/2" HEAD	SPARE 5/8" HEAD	SPARE 3/4" HEAD	SPARE 7/8" HEAD	SPARE 1 1/8" HEAD	SPARE 1 3/8" HEAD
3/8	1/2	5/8	3/4	7/8	1-1/8	1-3/8



Flaring Tool



The Value® VFT-808 not only looks quality with its superb satin finish, it also makes quality flares.

Its large ergonomic handle and torque release makes for effortless flaring. Flares from 3/16" to 3/4".

Blow moulded carry case included.

Code	Description	Nett Price
VFT-808-I	VFT-808	POA



Digital Scales



The NAVTEK NRS3i01 Bluetooth Electronic Refrigerant Scale is designed and reinforced with advanced technology, providing more precise and portable refrigerant charging technology.

Through the bluetooth connection between handheld device and electronic charging scale, you can perform other tasks while charging. While real-time refrigerant charge is transmitted to the handheld device, it will buzz when the charge is within 50 grams of the setting to alert the operator to stop the charging once the setting is reached. The heavy duty magnesium alloy weighing pan and ergonomic, one-piece, portable design makes it lighter and easier to carry.

Model	Description	Nett Price
VRS-120I-01	Navtek Charging Scales 120KG	POA



Tube Cutters



VTC-42



VTC-28B



VTC-70



VTC-28

Spare parts available

Code	Description	Nett Price
VTC-19	Mini Pipe Cutters 1/8" - 3/4"	POA
VTC-28	Compact Pipe Cutter 1/8" - 1-1/8"	POA
VTC-28B	Pipe Cutters 1/8" - 1-1/8"	POA
VTC-32	Pipe Cutters 1/8" - 1-1/4"	POA
VTC-42	Pipe Cutters 1/4" - 1-5/8"	POA
VTC-70	Large Pipe Cutters 1/4" - 2-5/8"	POA



Test Meters



The Value® VCM-202 is feature packed Digital Clamp Meter that represents great value for money. Measure AC/DC voltage, AC current, resistance, diode and reads °C/°F with included K probe and case. Auto shut-off, low battery alarm and 250 volt overload protection Max measurements: Volts 600, AC current 400 amps, Temp -40°C to +1000°C.

The Value® VCDM-151 is another quality meter from Value® at a very competitive price. Measures 30 different ranges, has overload protection. Great for testing capacitors up to 200 µF. Measures temperature -40°C to +1000°C Test leads, K probe & 9V battery included.



Code	Description	Nett Price
VCM-202	Clamp Meter	POA
VDM-151	Digital Multi Meter	POA



Electrical cables & accessories

Electrical Cables

There are three types of electrical cable available; screened cable, flex cable and NYM-J cable.



Code	Description	Nett Price
CABLELIYCYLSF275	Screened cable - 275	POA
CABLELIYCYLSF215	Screened cable - 215	POA
CABLEFLEX 3X.75	Flex cable - 3 x .75	POA
CABLEFLEX 3X1.5	Flex cable - 3 x 1.5	POA
CABLENYMJ3COR1.5	NYM-J cable - MJ3	POA
CABLENYMJ4COR1.5	NYM-J cable - MJ4	POA
CABLENYMJ5COR1.5	NYM-J cable - MJ5	POA

OBO Junction Boxes

OBO can offer a large range of many different types of junction box for every installation requirement in the different areas of application. OBO Cable junction boxes from FSW available in small and large.



Code	Description	Nett Price
JOBO JUNCTION	Junction box - small	POA
JOBO BOX LARGE	Junction box - large	POA

Plastic Glands

Fire retardant, plastic gland kit that provides a wiring solution from FSW. Suitable for bottom, side or top entry.



Code	Description	Nett Price
20MM GLAND	Plastic glands	POA

Isolators, Circuit Breakers and Detectors



Code	Description	Nett Price
ISOLATOR 25AMP 3	Isolator - 25AMP 3	POA
ISOLATOR 32AMP 3	Isolator - 32AMP 3	POA
ISOLATOR 40AMP 3 POLE	Isolator - 40AMP 3 pole	POA
MCB1 20A	Single Pole 20a Hager Mcb	POA
RCBO 16AMP	Rcbo 6ka b curve 16amp 30ma class a 2 Pole 2 mod	POA

Contact us

Full range also available from
our 24 branches in the UK.

Glasnevin HQ

Unit 15, Blackwater Road
Dublin Industrial Estate
Glasnevin, D11 YK26
email: info@fridgespares.ie

Tel: 01 830 3466

Ballymount

UNIT 1, Ballymount Business Park
Ballymount Drive, Ballymount Industrial Estate
DUBLIN 12, D12 XC7H
email: iandennis@fridgespares.ie

Tel: 01 450 7514

Cork

Unit 15, Southside Industrial Estate
Togher
Cork, T12 D659
email: robertburns@fridgespares.ie

Tel: 021 431 7645

Belfast

Unit 6, Hawthorn Business
Centre
Wildflower Way, Boucher Road
Belfast, BT12 6TA

Birmingham

Unit 3
No 9, Lichfield Road
Industrial Estate
Vine Street, Aston
Birmingham, B6 5TS

Bradford

Unit 4, Winchester Business Park
Broad Lane
Bradford, BD4 8NY
email: bradford@fsw.uk.com

Chelmsford

2-4 Richmond Rd
Dukes Park Industrial Est
Chelmsford
Essex, CM2 6UA

Bristol

102 Farendell Road
Emerald Park East
Emersons Green
Bristol, BS16 7FF

Cardiff

Units 9-10
Ringside Business Centre
Heol-Y-Rhosog, Rumney,
Cardiff, CF3 2EW

Cannock (HQ)

Delta House
Fairway, Bridgtown
Cannock, WS11 0DJ
email: sales@fsw.uk.com

Dartford

5 - 6 Avery Way
Questor, Dartford
Kent, DA1 1JZ
email: dartford@fsw.uk.com

Edinburgh

Unit 5, Dryden Loan
Bilston Glen Industrial Estate
Edinburgh, EH20 9HR
email: edinburgh@fsw.uk.com

Glasgow (Jim McMillan)

Unit 2a & b, Payne Street
Port Dundas Trading Estate
Glasgow, G4 0LE
email: glasgow@fsw.uk.com

Gloucester (Alan Cooke)

Unit 11, Quadrant Distribution
Centre
Quedgeley
Gloucester, GL2 2RN

Hull

Unit 3A, Merrick Business Park
Merrick Street
Hull, HU9 1NG
email: hull@fsw.uk.com

Isleworth

Unit 19
Clock Tower Road, Isleworth
London, TW7 6GF
email: isleworth@fsw.uk.com

Leicester

Unit 15
Langham Road
Leicester, LE4 9WF
email: leicester@fsw.uk.com

Manchester

Unit 4, Harp Trading Estate
Guinness Road
Trafford Park, M17 1SR
email: manchester@fsw.uk.com

Newcastle

311A, Foster Court
Team Valley Trading Estate
Gateshead, NE11 0NH
email: newcastle@fsw.uk.com

Northampton

83 Tenter Road, Moulton Park
Northampton
Northants, NN3 6AX
email: northampton@fsw.uk.com

Norwich

C5 Rhombus Park
Industrial Estate
Diamond Road
Norwich, Norfolk, NR6 6NN

Nottingham (Marc Bell)

4 Genesis Park
Midland Way, Radford
Nottingham NG7 3EF
email: nottingham@fsw.uk.com

Preston (Steve Moran)

Unit 229, Brierley Road
Walton Summit Centre
Bamber Bridge, Preston, PR5 8AL
email: preston@fsw.uk.com

Reading

15, The Markham Centre
Station Road, Theale
Reading, Berkshire, RG7 4PE
email: reading@fsw.uk.com

Shrewsbury

10 Monkmoor Industrial Estate
Monkmoor Road
Shrewsbury, Shropshire, SY2 5TX
email: shrewsbury@fsw.uk.com

Southampton

Unit B2, Millbrook Close
School Lane, Chandlers Ford
Hampshire, SO53 4BZ
email: southampton@fsw.uk.com

Stoke

Unit 8, Rosevale Road
Parkhouse Industrial
Estate-West
Newcastle Under Lyme
Staffordshire, ST5 7EF



Fridge spares wholesale Ltd

| U15 Blackwater Rd | Dublin Ind Est | Glasnevin
| Dublin | D11 YK26 | Ireland
| Tel: 01 830 3466 | email: info@fridgespares.ie

www.fridgespareswholesale.ie